



Cordless 2-speed drill / driver, Type: 71132264



Order data

Order number	070205 71132264
GTIN	4014586887203
Item class	03F

Description

Version:

Cordless drill / driver

- For precise drilling and screw tightening results.
 - Electronic speed control for smooth, safe starts to drilling and screw driving; reversible.
 - Sturdy metal gearbox for long working life.
 - Good weight balance and ergonomics with softgrip inserts for non-tiring continuous work.
 - Li-ion batteries with high current capability, single-cell monitoring, and capacity display.
- 2-speed cordless impact drill / driver with brushless motor.**
- Low-maintenance, POWER-Drive EC motor with high torque, and overload protection.
 - Mechanical stage torque setting, adjustable in 22 steps, additional drilling step.
 - For precise drilling and screwdriving results.
 - Electronic speed control for smooth, safe starts to drilling and screw driving; reversible.
 - Sturdy metal gearbox for long working life.
 - Good weight balance and ergonomics with softgrip inserts for non-tiring continuous work.
 - Li-ion batteries with high current capability, single-cell monitoring, and capacity display.

Standard:

- 2-speed cordless drill/driver.
- Short design of 180 mm.

- **Electronic speed control for smooth, safe starts to drilling and screw driving; reversible.**
- **Sturdy metal gearbox for long working life.**

Advantage:

Mechanical torque setting.

Supplied with:

Supplied with drill chuck, belt clip and transport case. **Without battery and without charger.**

Note:

See No. 073832 size 9260431701 for suitable starter kits (consisting of spare battery and charger).

Packaging: Carrying case

suitable battery - supplier / battery type / voltage: Fein type E 18 V

Manufacturer's designation: ABS 18Q Select

Motor design: Brushless motor

Number of rechargeable batteries contained: 0

Type of rechargeable battery: Lithium-ion

Battery voltage: 18 V

maximum torque soft: 32 N·m

Technical description

Weight	1.3 kg
maximum torque hard	60 N·m
maximum speed 1st speed	450 - 450 min ⁻¹
Quick-clamping chuck range	1.5 - 13 mm
Motor design	Brushless motor
Battery voltage	18 V
maximum twist drill size Ø in wood	50 mm
typical application	Strong
maximum twist drill size Ø in steel	13 mm
Packaging	Carrying case
maximum torque soft	32 N·m
suitable battery - supplier / battery type / voltage	Fein type E 18 V
maximum speed 2nd speed	2000 min ⁻¹
Manufacturer's designation	ABS 18Q Select
maximum vibration to EN	<2.5 m/s ²
Number of rechargeable batteries contained	0

Type of rechargeable battery	Lithium-ion
Power supply	Rechargeable battery-powered
Suitable for material	wood
Suitable for material	Steel
Type of product	Drill/driver

Accessories

Battery charger Type FE30	073845 FE30
Li-ion battery Battery type, battery voltage FE18 V	073836 FE18
Battery starter set Type 9260430003	073832 9260430003
Battery charger Type FE50	073845 FE50
Battery charger Type FE80	073845 FE80
Li-ion battery Rechargeable battery type, battery voltage FE18 V	073837 FE18