



Vernier caliper parallax-free with spring-loaded thumb-lock, Measuring range: 150mm



Order data

Order number	410650 150
GTIN	4045197304018
Item class	41Z

Description

Version:

Satin chromium plated anti-glare reading parts. Fine, high-contrast scale, precision lapped measuring faces. Flat vernier scale for **parallax-free reading**.

With thumb lock and sturdy flat depth gauge.

Thread table: Calipers table

Standard: ISO 13385

Reversible reading: mm / inch

Depth gauge: rectangular 3.7×1.3

Packaging: sturdy box

Calibration: A1

Scale divisions: 0.05 mm

Graduation: 1/20 mm

Graduation: 1/128 in

Measurement deviation E MPE: ± 0.05 mm

Jaw length: 40 mm

Technical description

Jaw length	40 mm
Packaging	sturdy box
Measuring range	0 - 150 mm
Scale divisions	0.05 mm

Calibration	A1
Graduation	1/20 mm
Graduation	1/128 in
Reversible reading	mm / inch
Standard	ISO 13385
Depth gauge	rectangular 3.7×1.3
Depth gauge available	yes
Measurement deviation E MPE	± 0.05 mm
Scale chrome plated	yes
Locking	Spring-loaded thumb-lock
Measurement technology	analogue
Material	Stainless steel, INOX
all parts	hardened
Thread table	Calipers table
Type of product	Universal calipers

Services

Calibration Calipers / depth gauges maximum measuring range 200 mm	011030 200
Labelling laser-etched Type	018940
DAkkS calibration Calipers / depth gauges maximum measuring range 200 mm	011050 200
Calibration Calipers / depth gauges maximum measuring range 200 mm	021000 200
DAkkS calibration Calipers / depth gauges maximum measuring range 200 mm	021010 200

Accessories

Plastic case Type MS150	412470 MS150
Synthetic leather case for vernier calipers	412500

Plastic case Type MS150	412468 MS150
Table for calipers	412180