



Socket set 1/4 inch square drive 42 pieces, Type: 6



Order data

| | |
|--------------|---------------|
| Order number | 630329 6 |
| GTIN | 4062406230722 |
| Item class | 62A |

Description

Version:

Drives / accessories to DIN 3122 / 3123; sockets to DIN 3124. Internal / external square drives to **DIN 3120**.

Application:

For external hexagon screws / nuts with thread M2 – M8 and for hexagon socket head screws with thread M4 – M10.

For Pozidriv and Phillips screws with thread M2 – M6, slot-head screws with thread M2 – M4 and for internal Torx® screws with thread M2.5 – M8.

Material:

Chrome vanadium steel, chrome-plated.

Supplied with:

Sockets single hexagon: 13 pcs. No. 631020 size 4; 4.5; 5; 5.5; 6; 7; 8; 9; 10; 11; 12; 13; 14

Bits, C 6.3, for hex socket: 4 pcs. similar to No. 675240 size 3; 4; 5; 6

Bits, C 6.3, for Phillips: 3 pcs. similar to No. 675310 size 1/25; 2/25; 3/25

Bits, C 6.3, for Pozidriv: 3 pcs. similar to No. 675320 size 1/25; 2/25; 3/25

Bits, C 6.3, for slot-head: 3 pcs. similar to No. 675250 size 3.5×0.6; 5.5×0.8; 8×1.2

Bits, C 6.3, for internal Torx®: 7 pcs. similar to No. 675340 size TX8; TX10; TX15; TX20; TX25; TX30; TX40

T-handle: 1 pc. similar to No. 633029 size 116

Spin type speeder: 1 pc. No. 632840 size 150

Extensions: 2 pcs. No. 632420 size 50; 100

Universal joint: 1 pc. No. 633520 size 1/4

Ratchet: 1 pc. No. 632090 size 1/4 with ejector

Adaptor E 6.3: 1 pc. similar to No. 675020 size 6.3K for 1/4 inch bits C 6.3

Converter: 1 pc. No. 650005 size 2, bit shank E 6.3 – square 1/4 inch

Bit adapter: 1 pc. No. 676800, 1/4 inch square – bit holder 1/4 inch

Storage in: ABS plastic box

Height: 47 mm

Square drive: 1/4 in

Width across flats range, hexagon sockets: 4-14 mm

Width across flats range, hexagon wrenches: 3-6 mm

Technical description

| | |
|--|------------------------------|
| Drive profile | Hexagon screwdriver |
| Drive profile | Pozidriv screwdriver |
| Drive profile | Pozidriv screwdriver |
| Drive profile | Hexagon socket |
| Drive profile | Screwdriver for Phillips |
| Drive profile | Screwdriver for TORX® screws |
| Square drive | 1/4 in |
| Width across flats range, hexagon wrenches | 3-6 mm |
| Number of pieces | 41 |
| Width across flats range, hexagon sockets | 4-14 mm |
| Packaging | ABS plastic box |
| Length | 357 mm |
| Width | 174 mm |
| Height | 47 mm |
| Type of product | Socket spanner |

Accessories

| | |
|---|-------------|
| Adapter Type 4/4 | 676800 4/4 |
| Bit for Phillips, 1/4 inch C 6.3 Cross-head size / overall length 1/25 mm | 675310 1/25 |

| | |
|---|---------------|
| Bit for Torx®, 1/4 inch C 6.3 Torx® profile TX8 | 675340 TX8 |
| Shank with magnet / quick-change coupling Hexagon shank 6,3K | 675020 6,3K |
| Hexagon socket, 1/4 inch Width across flats 11 mm | 631020 11 |
| Bit for Phillips, 1/4 inch C 6.3 Cross-head size / overall length 3/25 mm | 675310 3/25 |
| Bit for Phillips, 1/4 inch C 6.3 Cross-head size / overall length 2/25 mm | 675310 2/25 |
| Bit for hexagon, 1/4 inch C 6.3 Hex-plus profile Hexagon 3 mm | 675240 3 |
| Bit for Torx®, 1/4 inch C 6.3 Torx® profile TX40 | 675340 TX40 |
| Hexagon socket, 1/4 inch Width across flats 4,5 mm | 631020 4,5 |
| Bit for Pozidriv, 1/4 inch C 6.3 Cross-head size / overall length 1/25 mm | 675320 1/25 |
| Rigid foam inlay for set 630329 | 630324 630329 |
| Reversible ratchet, 1/4 inch with ejector Type 1/4 | 632090 1/4 |
| Bit for Torx®, 1/4 inch C 6.3 Torx® profile TX25 | 675340 TX25 |
| Bit for hexagon, 1/4 inch C 6.3 Hex-plus profile Hexagon 6 mm | 675240 6 |
| Hexagon socket, 1/4 inch Width across flats 13 mm | 631020 13 |
| Hexagon socket, 1/4 inch Width across flats 14 mm | 631020 14 |
| Hexagon socket, 1/4 inch Width across flats 7 mm | 631020 7 |
| Hexagon socket, 1/4 inch Width across flats 9 mm | 631020 9 |
| Bit for Torx®, 1/4 inch C 6.3 Torx® profile TX30 | 675340 TX30 |
| Modular box Type 2 | 630323 2 |
| Spinner handle, 1/4 inch overall length 150 | 632840 150 |
| T-handle, 1/4 inch overall length 116 mm | 633029 116 |
| Bit for Pozidriv, 1/4 inch C 6.3 Cross-head size / overall length 3/25 mm | 675320 3/25 |
| Converter with ball Type 2 | 650005 2 |
| Hexagon socket, 1/4 inch Width across flats 4 mm | 631020 4 |
| | 675320 2/25 |

Bit for Pozidriv, 1/4 inch C 6.3 Cross-head size / overall length 2/25 mm

| | |
|---|-------------|
| Hexagon socket, 1/4 inch Width across flats 8 mm | 631020 8 |
| Extension, 1/4 inch overall length 100 mm | 632420 100 |
| Bit for hexagon, 1/4 inch C 6.3 Hex-plus profile Hexagon 4 mm | 675240 4 |
| Hexagon socket, 1/4 inch Width across flats 10 mm | 631020 10 |
| Extension, 1/4 inch overall length 50 mm | 632420 50 |
| Hexagon socket, 1/4 inch Width across flats 12 mm | 631020 12 |
| Hexagon socket, 1/4 inch Width across flats 5,5 mm | 631020 5,5 |
| Bit for Torx®, 1/4 inch C 6.3 Torx® profile TX15 | 675340 TX15 |
| Hexagon socket, 1/4 inch Width across flats 5 mm | 631020 5 |
| Hexagon socket, 1/4 inch Width across flats 6 mm | 631020 6 |
| Bit for Torx®, 1/4 inch C 6.3 Torx® profile TX10 | 675340 TX10 |
| Universal joint 1/4 inch Type 1/4 | 633520 1/4 |
| Bit for hexagon, 1/4 inch C 6.3 Hex-plus profile Hexagon 5 mm | 675240 5 |