



Torque Wrench with ratchet, maximum torque: 50N·m



Order data

Order number	657272 50
GTIN	4045197804105
Item class	62E

Description

Version:

Robust torque wrench, adjustable with micrometer scale, with protection against accidental changes to the setting.

Integral ratchet to accept sockets.

Units of measure: Nm, lbfft. Ratchet with captive **push-through square drive pin** and retaining pin, for **right-hand and left-hand tightening**.

Function:

On reaching the set torque value the wrench triggers giving a "signal" (audible and perceptible) and is then immediately ready for use again.

Application:

For small to medium series.

Standard:

Geprüft nach DIN EN ISO 6789.

Accuracy:

±3 % of the displayed value.

Note:

The guaranteed measuring accuracy of the torque is achieved only once the torque range has been calibrated to DIN EN ISO 6789.

Direction of tightening: For right- and left-hand tightening

Torque measuring accuracy: ±3 %

Test certificate: Manufacturer's test certificate

Calibration: O1

Overall length L: 328 mm

Torque range: 10 - 50 N·m

Scale graduation, 1 graduation =: 0.5 N·m

Weight: 700 g

Square drive: 3/8 in

Technical description

Square drive	3/8 in
Direction of tightening	For right- and left-hand tightening
Torque measuring accuracy	±3 %
Scale graduation, 1 graduation =	0.5 N·m
Weight	700 g
maximum torque	50 N·m
Display	analogue
Torque range	10 - 50 N·m
Feedback	triggering
Setting the trigger value	with adjustment scale
Adjustable trigger value	adjustable
Reversible reading	Nm
Reversible reading	lbfft
Overall length L	328 mm
Lever length including factory calibration reference dimension [L ₃]	209 mm
Trigger principle	mechanical short-travel release
Connection format	Push-through square drive (ratchet)
Standard	DIN EN ISO 6789
Measurement process	Torque
Calibration	O1
Test certificate	Manufacturer's test certificate
Data can be recorded	no
Release signalling	acoustic
Release signalling	haptisk
Measurement technology	mechanical
Type of product	Torque Wrench

Services

Calibration Torque wrench maximum torque 400 N·m	018820 400
Labelling laser-etched Type	018940
DAkkS calibration Torque wrench maximum torque 1000 N·m	018830 1000
DAkkS calibration Torque wrench maximum torque 1000 N·m	020020 1000
Calibration Torque wrench maximum torque 400 N·m	020010 400

Accessories

Spare parts set for ratchet Square drive 3/8 in	657271 3/8
---	------------