

## Electrician's tool kit, 82 pieces with tool case



### Order data

|              |               |
|--------------|---------------|
| Order number | 680502        |
| GTIN         | 2050001016515 |
| Item class   | 66H           |

### Description

#### Application:

Contains the most important quality tools for electrical installation work.

#### Content:

HSS drill set, in a case: 1 pc. No. 115000 size 1 – 10

**STABILA**® wooden folding rule: 1 pc. No. 466005 size 2

Chalk snap line container with coloured chalk: 1 each No. 467590 size 1; No. 467595 size R

**STABILA**® light metal spirit level: 1 pc. No. 467030 size 400

**DICK** hand file, cut 1 (bastard) with handle: 1 pc. No. 510100 size 150

**DICK** half-round file, 2nd cut with handle: 1 pc. No. 513200 size 150

**DICK** round file, 2nd cut with handle: 1 pc. No. 514200 size 150

Wire brush: 1 pc. No. 575000 size 3

**PUK**® universal hacksaw: 1 pc. No. 581220

Socket set 1/4 inch: 1 pc. No. 630168 size 6 (17 pieces)

**Wera** slot-head screwdriver, insulated to VDE: 1 pc. each No. 663100 size 3.5; 4; 5.5; 6.5; 8

**PB Swiss Tools** voltage tester up to 250 V: 1 pc. No. 665020 size 2.5

**BENNING** voltage tester "Analog": 1 pc. No. 473105 size Analog

Wallet for them: 1 pc. No. 473336 size B

Screw-in fuse carrier key to EN 60900, fully insulated up to 1000 V: 1 pc. No. 665800 from 2 - 63 A

**Wera** screwdriver for Phillips, insulated to VDE: 1 pc. each No. 668600 size 1; 2

**KNIPEX**® combination pliers, insulated to VDE: 1 pc. No. 701700 size 160

**KNIPEX**® water pump pliers, insulated to VDE: 1 pc. No. 705740 size 250  
**KNIPEX**® snipe nose pliers with side cutter, insulated to VDE: 1 pc. No. 713300 size 160  
**KNIPEX**® side cutter, insulated to VDE: 1 pc. No. 725300 size 160  
 Wire strippers, insulated to VDE: 1 pc. No. 728750 size 160  
**JOKARI**® cable stripping knife: 1 pc. No. 728010 size 8 – 28  
**RENNSTEIG** stone chisel, flat: 1 pc. No. 742500 size 250  
**RENNSTEIG** stone chisel, pointed: 1 pc. No. 742600 size 250  
**RENNSTEIG** electrician's chisel, flat: 1 pc. No. 743000 size 250  
**GARANT** engineer's hammer with hickory handle: 1 pc. No. 750110 size 500  
 Club hammer with handle: 1 pc. No. 751005 size 1  
 Ideal sheet metal shears with compound action: 1 pc. No. 766000 size 260  
 Telephone shears: 1 pc. No. 769005 size 130  
**Milwaukee**® carbide masonry drill in a plastic case: 1 pc. No. 786080 size 5 (Ø 4 – 10 mm)  
 Mortise chisel: 1 pc. No. 794800 size 16  
**RUNPOTEC**® cable insertion strip made from nylon: 1 pc. No. 814862 size 10  
 Square reamer: 1 pc. No. 831700 size 110  
 Fixed blade cable knife: 1 pc. No. 844300  
 Insulating tape, black: 1 pc. No. 083654 size BLACK  
 Torch, LED light: 1 pc. No. 081437 size BLACK  
 Spatula: 1 pc. No. 087650 size 50  
 Rubber mixing bowl: 1 pc. No. 087680 size 125  
 Water application brush: 1 pc. No. 087005 size 20  
**PARAT**® tool case: 1 pc. No. 690200  
**Note:**  
**Supplied loose.**

## Technical description

|   |                 |
|---|-----------------|
| Number of batteries contained                           | 3               |
| Article no of the battery / rechargeable battery fitted | 081557 LR3      |
| Power supply  | Battery-powered |
| Type of product   | Tool set        |

## Accessories

|   |          |
|---|----------|
| Electrician's screwdriver for slot-head, with Kraftform handle fully insulated Blade width b 8 mm | 663100 8 |
| Socket set 1/4 inch square drive 17 pieces Type 6   | 630168 6 |

|   |               |
|---|---------------|
| Square reamer with plastic handle Blade length 110 mm   | 831700 110    |
| Insulating tape Colour BLACK  | 083654 BLACK  |
| Wire hand scratch brush Smooth steel wire 0.35 mm<br>Number of rows of bristles 3                   | 575000 3      |
| Electrician's screwdriver for slot-head, with Kraftform handle fully insulated Blade width b 6,5 mm | 663100 6,5    |
| Mortise chisel with wooden handle Blade width 16 mm   | 794800 16     |
| Scraper, wooden handle Width 50 mm  | 087650 50     |
| Nylon cable pulling rod Band length 10 m  | 814862 10     |
| Carbide masonry drill set Number of drills 5  | 786080 5      |
| Electrician's screwdriver for slot-head, with Kraftform handle fully insulated Blade width b 5,5 mm | 663100 5,5    |
| Alligator® water pump pliers VDE grips overall length 250 mm  | 705740 250    |
| Round file Length without tang 150 mm   | 514200 150    |
| Cable stripping knife with hooked blade for cable Ø 8-28 mm   | 728010 8-28   |
| Coloured powder for the snap line 250 g Type R  | 467595 R      |
| Voltage tester special quality Blade width 2,5 mm   | 665020 2,5    |
| Electrician's scissors nickel-plated with wire-cutter overall length 130 mm                         | 769005 130    |
| Screwdriver for Phillips with Kraftform handle fully insulated Cross-head size 2                    | 668600 2      |
| Plaster mixing bowl maximum Ø 125 mm  | 087680 125    |
| Leather tool case with centre partition   | 690200        |
| Screwdriver for Phillips with Kraftform handle fully insulated Cross-head size 1                    | 668600 1      |
| Half round file Length without tang 150 mm  | 513200 150    |
| General-purpose hacksaw "PUK" with general-purpose blade (310) Fixed handle                         | 581220        |
| Wire stripping tool chrome-plated VDE insulated overall length 160 mm                               | 728750 160    |
| Voltage tester DUSPOL® Device type ANALOG   | 473105 ANALOG |

|   |               |
|---|---------------|
| Snipe nose pliers, straight VDE insulated overall length 160 mm                                     | 713300 160    |
| Electrician's screwdriver for slot-head, with Kraftform handle fully insulated Blade width b 4 mm   | 663100 4      |
| Light metal spirit level Length 400 mm  | 467030 400    |
| Electrician's screwdriver for slot-head, with Kraftform handle fully insulated Blade width b 3,5 mm | 663100 3,5    |
| Jobber drill set HSS No. 114000 in a case Type 1-10   | 115000 1-10   |
| Combination pliers, chrome-plated VDE insulated overall length 160 mm                               | 701700 160    |
| Stone chisel flat overall length 250 mm   | 742500 250    |
| Screw-in fuse carrier key, dual function fully insulated  | 665800        |
| Fixed blade cable knife   | 844300        |
| Stone chisel taper overall length 250 mm  | 742600 250    |
| Ideal snips with 2-component handles overall length 260 mm  | 766000 260    |
| Chalk snap line 30 m Retraction ratio (x-fold) 1  | 467590 1      |
| Hand file Length without tang 150 mm  | 510100 150    |
| Electrician's chisel overall length 250 mm  | 743000 250    |
| Industrial round brush Ø 20 mm  | 087005 20     |
| Engineer's hammer with handle protection collar Weight without handle 500 g                         | 750110 500    |
| Diagonal side cutter, chrome-plated VDE insulated overall length 160 mm                             | 725300 160    |
| Duspol carrying case Type B   | 473336 B      |
| LED torch with batteries Colour BLACK   | 081437 BLACK  |
| Club hammer Weight without handle 1 kg  | 751005 1      |
| Voltage tester DUSPOL® Device type ANALOG   | 473106 ANALOG |
| Electrician's tool kit, 82 pieces without case  | 680505        |
| Wooden folding rule, yellow Length 2 m  | 466005 2      |