



## Workbench with 4 drawers and 1 swing door, Worktop length: 1500 mm



### Order data

Order number	929510 1500
GTIN	4062406117771
Item class	92W

### Description

#### Version:

- **Worktop 40 mm thick, non-warping beech marine ply, finished with clear UV varnish.**
- **Frame - welded sheet metal.**
- **Drawers of sheet metal with low-friction rollers of Delrin.**
- **Sheet metal doors with plastic grips, opening angle 180° and self-closing hinges.**
- **Central cylinder lock with 2 keys.**

#### Fitted with:

Drawer front height (left): 180; 180; 180

Drawer front height (right) mm: 180

Door height (right): 360

#### Optional extras:

For suitable storage shelf see No. 929580.

#### Colour:

Body RAL 7035 light grey, fronts RAL 7016 anthracite, **powder-coated.**

#### Note:

Other colours available for fronts: RAL 7035 light grey, RAL 5005 signal blue. No special paint finishes available.

Workbench/desk load capacity - maximum distributed load (on wood): 700 kg

Height: 850 mm

Worktop length: 1500 mm

Worktop depth: 700 mm

Worktop thickness: 40 mm

Support cabinet width: 1200 mm

Support cabinet depth: 630 mm

## Technical description

Weight	92 kg
Material of worktop	Beech marine ply
Number of drawers	4
Drawer usable width	490 mm
Door height (right)	360 mm
Support cabinet depth	630 mm
Workbench can be locked centrally	yes
Drawer usable depth	520 mm
Worktop depth	700 mm
Worktop thickness	40 mm
Support cabinet width	1200 mm
Worktop length	1500 mm
Surface worktop	clear varnished
Height	850 mm
Workbench for installation in a row	no – the worktop projection is too large
Workbench/desk load capacity - maximum distributed load (on wood)	700 kg
Material thickness	1.5 mm
Workbench height	850 mm
Drawer/pull-out shelf load capacity	100 kg
Insert thickness	40 mm
Drawer runner extension (partial/full extension)	90 %
Door opening angle	180 degrees
Height adjustment	20 mm
Cylinder lock	modular barrel
Colour selection	RAL 7035, RAL 7016, RAL 5005
Type of product	Complete workbench

---

## Accessories

Barrel sleeve 225-010-9 without lock barrel

914202