

Garant GRIDLINE

## Base cabinet with Viewing window swing doors, Height: 800mm



### Order data

|              |               |
|--------------|---------------|
| Order number | 940083 800    |
| GTIN         | 4062406068080 |
| Item class   | 9GI           |

### Description

#### NOTE: Colour selection possible

#### Version:

Equipped cabinet in 40×20G. Mountings for shelves at 25 mm intervals. Swing doors reinforced on the inside and can be locked by 2-component Haptoprene® push handle using a cylinder lock. **Levelling base** for base cabinets, with 4 individually adjustable feet to compensate for unevenness in the floor. In the base cabinet the push handle is mounted in the upper part of the door; in the top-mounted cabinet it is in the lower part of the door.

#### Supplied with:

Cabinet with storage shelves.

#### Colour:

Body RAL 7035 light grey, **powder-coated**.

Doors RAL 7016 anthracite, **powder coated**.

#### Note:

For storage shelves and accessories for GridLine cabinets see No. 940501 – 940710 and Group 95. According to the TÜV GS certification, it is essential that all cabinets are secured against tipping over.

Colour selection: RAL 9002, 7035, 7005, 7016, 6011, 5018, 5012, 5011, 5005, 3003

Shelf load capacity / maximum distributed shelf load (on metal): 100 kg

Height: 800 mm

Width: 1000 mm

Depth: 500 mm

Width in G: 40

Depth in G: 20  
Usable height: 645 mm

## Technical description

|   |  |
|---|--|
| Width   | 1000 mm  |
| Shelf load capacity / maximum distributed shelf load (on metal) | 100 kg   |
| Weight  | 46 kg  |
| Height  | 800 mm   |
| Electronic locking system can be retrofitted                    | yes  |
| Number of shelves   | 1  |
| ComfortClose  | no   |
| Usable height   | 645 mm   |
| Handle positioning  | top  |
| Cabinet fronts  | Viewing window swing door                                      |
| Depth   | 500 mm   |
| Width in G  | 40   |
| Depth in G  | 20   |
| Material thickness  | 0.9 mm   |
| Cabinet housing internal load capacity                          | 1000 kg  |
| Door opening angle  | 250 °  |
| Height adjustment interval                                      | 25 mm  |
| Cylinder lock   | modular barrel   |
| Colour selection  | RAL 9002, 7035, 7005, 7016, 6011, 5018, 5012, 5011, 5005, 3003 |
| Type of cabinet   | Base cabinet   |
| Type of product   | Cabinet with shelves   |

## Accessories

|  |                |
|--|----------------|
| Base with removable fascia, depth 20G, Height 150 mm<br>Cabinet casing in G 40                           | 958146 40      |
| Basic lighting set for GridLine cabinets with swing doors for<br>cabinet height 750/800 mm               | 940501 750/800 |
| Storage shelf slotted for cabinet / compartment width in G<br>40   | 940552 40      |
| Cover made of laminated wood Dimension in G 40X20  | 951985 40X20   |
| Storage shelf 200 kg for cabinet / compartment width in G<br>40  | 940590 40      |
| Extended lighting set for GridLine cabinets with Swing<br>doors, width 40G for cabinet height 750/800 mm | 940511 750/800 |
| Cover made of bamboo Dimension in G 40X20  | 951980 40X20   |
| Shelf carrier set for GridLine cabinets 20 pieces Type F   | 940559 F       |
| Inclined shelf for cabinet / compartment width in G 40   | 940560 40      |
| Storage shelf for cabinet / compartment width in G 40  | 940550 40      |
| Slide handle for GridLine Type GP11  | 914226 GP11    |