#### Garant GRIDUNG

## Base cabinet with Roller shutter, Height: 1000mm



## **Order data**

| Order number | 940089 1000   |
|--------------|---------------|
| GTIN         | 4062406068479 |
| Item class   | 9GI           |

## **Description**

## **NOTE: Colour selection possible**

### **Version:**

Equipped cabinet in 40×20G. Mountings for shelves at 25 mm intervals. Swing doors reinforced on the inside and can be locked by 2-component Haptoprene® push handle using a cylinder lock. **Levelling base** for base cabinets, with 4 individually adjustable feet to compensate for unevenness in the floor. In the base cabinet the push handle is mounted in the upper part of the door; in the top-mounted cabinet it is in the lower part of the door.

### **Supplied with:**

Cabinet with storage shelves.

#### Colour:

Body RAL 7035 light grey, powder-coated.

Roller shutter of anodised aluminium profiles, colour not configurable.

#### Note:

For storage shelves and accessories for GridLine cabinets see No. 940501 – 940710 and Group 95. According to the TÜV GS certification, it is essential that all cabinets are secured against tipping over.

Colour selection: RAL 9002, 7035, 7005, 7016, 6011, 5018, 5012, 5011, 5005, 3003

Shelf load capacity / maximum distributed shelf load (on metal): 100 kg

Height: 1000 mm Width: 1000 mm Depth: 500 mm Width in G: 40 Depth in G: 20

Usable height: 845 mm

# **Technical description**

| Cabinet fronts  | Roller shutter   |
|---|--|
| Height  | 1000 mm  |
| Electronic locking system can be retrofitted                    | yes  |
| Usable height   | 845 mm   |
| Number of shelves   | 2  |
| Shelf load capacity / maximum distributed shelf load (on metal) | 100 kg   |
| Width   | 1000 mm  |
| Weight  | 56 kg  |
| Depth   | 500 mm   |
| Handle positioning  | bottom   |
| ComfortClose  | no   |
| Width in G  | 40   |
| Depth in G  | 20   |
| Material thickness  | 0.9 mm   |
| Cabinet housing internal load capacity                          | 1000 kg  |
| Door opening angle  | 250°   |
| Height adjustment interval                                      | 25 mm  |
| Cylinder lock   | modular barrel   |
| Colour selection  | RAL 9002, 7035, 7005, 7016, 6011, 5018, 5012, 5011, 5005, 3003 |
| Type of cabinet   | Base cabinet   |
| Type of product   | Cabinet with shelves   |



# **Accessories**

| Cover made of bamboo Dimension in G 40X20                                 | 951980 40X20 |
|---|--------------|
| Drawer for sliding door cabinets, Width 40G Drawer front<br>height 125 mm | 940652 125   |
| Drawer for sliding door cabinets, Width 40G Drawer front height 75 mm     | 940652 75    |
| Drawer for sliding door cabinets, Width 40G Drawer front height 200 mm    | 940652 200   |
| Storage shelf 200 kg for cabinet / compartment width in G 40              | 940590 40    |
| Cover made of laminated wood Dimension in G 40X20                         | 951985 40X20 |
| Shelf carrier set for GridLine cabinets 20 pieces Type F                  | 940559 F     |
| Slide handle for garment lockers without cylinder insert                  | 914221       |
| Slide handle for GridLine Type GP14                                       | 914226 GP14  |
| Drawer for sliding door cabinets, Width 40G Drawer front height 300 mm    | 940652 300   |
| Drawer for sliding door cabinets, Width 40G Drawer front height 150 mm    | 940652 150   |
| Storage shelf slotted for cabinet / compartment width in G 40             | 940552 40    |
| Drawer for sliding door cabinets, Width 40G Drawer front height 100 mm    | 940652 100   |
| Inclined shelf for cabinet / compartment width in G 40                    | 940560 40    |
| Storage shelf for cabinet / compartment width in G 40                     | 940550 40    |