

Garant GRIDLINE

Top-mounted cabinet with drawer, Plain sheet metal swing doors, 36×16G, Height: 1000mm



Order data

Order number	940111 1000
GTIN	4062406068806
Item class	9GI

Description

NOTE: Colour selection possible

Version:

Equipped cabinet in 40×20G, with drawers 36×16G.

Mountings for shelves at 25 mm intervals. Swing doors reinforced on the inside and can be locked by 2-component Haptoprene® push handle using a cylinder lock. **Levelling base** for base cabinets, with 4 individually adjustable feet to compensate for unevenness in the floor. In the base cabinet the push handle is mounted in the upper part of the door; in the top-mounted cabinet it is in the lower part of the door.

Drawers with front height 125 mm.

Supplied with:

Cabinet with shelves and drawers.

Colour:

Body and drawer cabinet body RAL 7035 light grey, doors and drawer fronts RAL 7016 anthracite **powder-coated**.

Note:

For storage shelves and accessories for GridLine cabinets see No. 940501 – 940710 and Group 95. According to the TÜV GS certification, it is essential that all cabinets are secured against tipping over.

Colour selection: RAL 9002, 7035, 7005, 7016, 6011, 5018, 5012, 5011, 5005, 3003

Drawer/pull-out shelf load capacity: 75 kg
 Shelf load capacity / maximum distributed shelf load (on metal): 100 kg
 Drawer runner extension (partial/full extension): 100 %
 Drawer usable area in G: 36×16
 Height: 1000 mm
 Width: 1000 mm
 Depth: 500 mm
 Width in G: 40
 Depth in G: 20
 Usable height: 845 mm

Technical description

Number of drawers	1
Depth	500 mm
Drawer runner extension (partial/full extension)	100 %
Width	1000 mm
Shelf load capacity / maximum distributed shelf load (on metal)	100 kg
Handle positioning	bottom
Height	1000 mm
Drawer/pull-out shelf load capacity	75 kg
ComfortClose	no
Electronic locking system can be retrofitted	yes
Weight	64 kg
Number of shelves	2
Cabinet fronts	Plain sheet metal swing door
Usable height	845 mm
Width in G	40
Drawer usable depth in G	16
Drawer usable width in G	36
Depth in G	20
Drawer usable width	900 mm
Drawer usable depth	400 mm

Drawer usable area in G	36×16
Material thickness	0.9 mm
Cabinet housing internal load capacity	1000 kg
Door opening angle	250 °
Height adjustment interval	25 mm
Cylinder lock	modular barrel
Colour selection	RAL 9002, 7035, 7005, 7016, 6011, 5018, 5012, 5011, 5005, 3003
Drawer usable width × usable depth in G	36×16G
Type of cabinet	Add-on cabinet
Type of product	Cabinet with shelves

Accessories

Ribbed rubber mat for drawers Dimension in G 36X16	951910 36X16
Drawer for swing-door cabinets, Width 40G Drawer front height 300 mm	940642 300
Storage shelf for cabinet / compartment width in G 40	940550 40
Comfort Close drawer closure damping system Load capacity of the drawer 75 kg	950180 75
Drawer for swing-door cabinets, Width 40G Drawer front height 100 mm	940642 100
Non-slip mats set for drawers, 5 pieces Dimension in G 36X16	951885 36X16
Storage shelf 200 kg for cabinet / compartment width in G 40	940590 40
Shelf carrier set for GridLine cabinets 20 pieces Type F	940559 F
Inclined shelf for cabinet / compartment width in G 40	940560 40
Basic lighting set for GridLine cabinets with swing doors for cabinet height 900/1000 mm	940501 900/1000
	940552 40

Storage shelf slotted for cabinet / compartment width in G 40

Slide handle for GridLine Type GP11	914226 GP11
Drawer for swing-door cabinets, Width 40G Drawer front height 200 mm	940642 200
Drawer for swing-door cabinets, Width 40G Drawer front height 125 mm	940642 125
Mat for drawers Dimension in G 36X16	951830 36X16
Drawer for swing-door cabinets, Width 40G Drawer front height 150 mm	940642 150
Drawer for swing-door cabinets, Width 40G Drawer front height 75 mm	940642 75
Extended lighting set for GridLine cabinets with Swing doors, width 40G for cabinet height 1000/1250 mm	940511 1000/1250