Garant GRIDUNG

eLevel workstation with ESD coating, Length: 1500mm



Order data

Order number	972013 1500
GTIN	4062406167042
Item class	9GW

Description

Version:

eLevel workstation, ESD conductive according to DIN EN 61340-5-1. With continuous electrical adjustment for height. Height adjustment by pushbutton. Push-button adjustment to find a suitable **height for the entire workstation**. **All-round 3 mm antistatic ABS edge band.** Central grounding point underneath the ESD worktop. The support legs are not used for earthing. **With internal steel tube as reinforcement profile**

Colour:

Light grey similar to RAL 7035 **ESD powder-coated.**

Note:

All plastic components (e.g. covering caps) are not ESD conductive.

- If using casings attached to the underside of the worktop, note that such casings may not exceed a maximum height of 500 mm.
- · Caution: when installing benches in a row, please use side plates no. 972019 (crush hazard).

electrostatic characteristic: EGB/ESD

Height adjustment workstation: 670-990 mm

Height adjustment range (worktop surface) from – to: 670 - 990 mm

Width: 1500 mm Depth: 800 mm

Worktop length: 1500 mm Worktop depth: 700 mm Worktop thickness: 40 mm

Technical description

yes
40 mm
1500 mm
light grey RAL 7035
0.8 mm
1500 mm
800 mm
yes
complete structure
HPL plastic, conductive
Workstation
670 - 990 mm
80 kg
700 mm
eLevel
250 V
F
670-990 mm
Steel hollow section construction
250 kg
electrical
40 mm
25 mm
EGB/ESD
Work table

